



Western Hemisphere Meeting 18th November 2020



# **Agenda**

- 1. Terminology Proposal
- 2. Model Proposal





## **Terminology Proposal**

Connector - Cactus node component that operates a DLT (active component). Operations include issuing transactions, and invoking smart contracts.

Validator - Cactus node component that checks the validity of blocks or transactions (corresponding to the notion of blockchain oracle). Validators are assumed to be trusted, given that a quorum exists. Based on that, arbitrary facts on a DLT can be verified.





## **Terminology Proposal**

**Application Client - the application that is used by the end user to interact with a Cactus node.** 

API Server - Exposes the functionality of the Cactus node, in the form of business logic plugins. Allows to connect to DLTs via connectors, verifiers, and validators.

Cactus Node - A Cactus node composed of a set of plugins, exposed by the API server





#### **Model Proposal - Properties**

**Atomicity: all commits or nothing commits** 

Consistency: a commit/fail leaves underlying DLTs in a consistent state

**Durability:** Once a cross-blockchain transaction is committed, it remains so (despite crashes)

Containment of side-effects: undesirable effects during a cross-blockchain transaction should abort





## **Model Proposal - Properties**

**Isolation?** 

**Termination?** 

Liveness?





## **Model Proposal - Participants**

**Cactus Node** 

**Cactus Client** 

**DLT** 





#### **Model Proposal - Next steps**

Relationship with the plugin architecture

**Privacy-preserving discussion (same paper?)** 







Visit the mailing list topic:

https://lists.hyperledger.org/g/cactus/topics?p=recentpostdate%2Fsticky,,,20,2,0,77324360

Or the Hyperledger Cactus Academic Paper channel on RocketChat: https://chat.hyperledger.org/