


Agenda


- Why were we testing?
- What were we testing?
- Results
- Next steps




Why were we testing?







What were we testing?



Registration



| Test | Reference * | Priority v | Verdict ▼ | Bugs ▼ | Comments |
|--|--|-------------------|-----------|---|--|
| Registration | | | | | |
| Events | | | | | |
| Login with Bridge button tap => confirmation pop-up is displayed | | High | failed | DDS-331 [iOS] [Login] Login is disabled if no button was clicked on the confirmation pop-up (Normal) | |
| Continue button tap | | High | passed | | |
| Decline button tap | | High | passed | | |
| Fields | | | | | |
| Access request message | read-only field | High | passed | | displayed once, for the first registration - to be checked |
| Enter PIN | | | | | |
| Events | | | | | |
| Show/Hide PIN button tap | | High | passed | | |
| Unlock button tap | | High | failed | DDS-322 [iOS] [Login > Enter PIN] Unlock button cannot be tapped for 30 seconds because of toast error message (Normal) | |
| if invalid PIN > tap Okay button in pop-up | | Medium | passed | | 5 incorrect => 1 minute lockout |
| Unlock with biometrics button tap | displayed if biometrics is enabled | High | failed | DDS-322 | |
| Fields | | | | | |
| PIN | input field | High | failed | DDS-360 [iOS][Enter PIN] It is impossible to enter PIN if the phone has been automatically locked. (Normal) DDS-357 [iOS / Android][Enter PIN > Loading] Loading screen is displayed forever till the user restarts the app if there is no internet connection. (Minor) | |
| Unlock with biometrics button | | | summary | | |
| displayed | if biometrics is enabled | High | passed | | |
| hidden | if biometrics is disabled | High | passed | | |

5

Onboarding - User guideline



| Landing | | | | | |
|------------------------|--------------------------|--------|---------|--|--|
| User guideline | | | | displayed once, for the first registration | |
| Events | | | | | |
| Step 1 | | | summary | | |
| Skip button tap | | High | passed | | |
| Next button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Step 2 | | | summary | | |
| Skip button tap | | High | passed | | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Next button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Step 3 | | | summary | | |
| Get Started button tap | | High | passed | | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Fields | | | | | |
| Step 1 | text, images, stepper | High | passed | | |
| Step 2 | text, images, stepper | High | passed | | |
| Step 3 | text, images, stepper | High | passed | | |

Onboarding



| Test | Reference * | Priority ~ | Verdict 🔻 | Bugs ▼ | Comments |
|---------------------------|---------------|------------|-----------|--------|--|
| Landing | | | | | |
| Terms & Conditions | | | | | displayed once, for the first registration |
| Events | | | | | |
| Scroll | | High | passed | | |
| Acceptance checkbox tap | | High | passed | | |
| Continue button tap | | High | passed | | disabled if checkbox is unchecked |
| Back button tap | | Medium | passed | | previous screen is displayed |
| Swipe | | Medium | passed | | |
| Fields | | | | | |
| Terms & Conditions | | High | passed | | |
| Create a PIN | | | | | displayed once, for the first registration |
| Events | | | | | |
| Show PIN button tap | | High | passed | | |
| Hide PIN button tap | | High | passed | | |
| Create PIN button tap | | High | passed | | |
| Swipe | | High | passed | | |
| Fields | | | | | |
| PIN | integer field | High | passed | | |
| Confirm PIN | integer field | High | passed | | |
| Biometrics | | | | | |
| Events | | | | | |
| Use biometrics toggle tap | | High | passed | | |
| Continue button tap | | High | passed | | displayed once, for the first registration |
| Fields | | | | | |
| N/A | | High | n/a | | ~ |

ROPR

Home



| Test ▼ | Reference ▼ | Priority * | Verdict ▼ | Bugs | Comments |
|--|--------------------|-------------------|-----------|------|----------------------------------|
| Home | | | | | |
| Events | | | | | |
| Hamburger menu button tap | | High | passed | | |
| Open Keplr Wallet button tap | | High | passed | | |
| Home button tap | | High | passed | | |
| Notification | | | summary | | |
| Cross button tap => Decline Credential/Proof screen is | | High | passad | | |
| displayed | | High | passed | | |
| View button tap => Credential Offer/Proof Request screen is | | High | passad | | |
| displayed | | High | passed | | |
| See all button tap => screen with list of offers/requests is | if >1 notification | High | passad | | |
| displayed | | півн | passed | | |
| Scan button tap | | High | passed | | |
| If using camera for the first time => App request for using | | | aum mari | | |
| camera is displayed | | | summary | | |
| Allow button tap => phone request for using camera is | | Libels | manand | | displayed once, within the first |
| displayed | | High | passed | | using - to be checked |
| OK button tap => camera is enabled | | High | passed | | |
| Don't allow button tap | | High | passed | | |
| Open settings button tap | | High | passed | | |
| Cross button tap | | High | passed | | |
| | | | pusseu | | |
| Not now button tap | | High | passed | | |
| If using camera was approved => camera is enabled | | High | passed | | |
| If using camera was rejected | | | summary | | |
| Scan button tap => Allow camera use screen is displayed | | High | passed | | |
| Allow button tap => Allow camera use pop-up is displayed | | High | passed | | |
| Open settings button tap | | High | passed | | |
| Cross button tap | | High | passed | | |
| Not now button tap | | High | passed | | |
| Credentials button tap | | High | passed | | |
| Fields | | | | | |
| Notification | | | summary | | |
| placeholder if no notifications | | High | passed | | |
| number of notifications if any | | High | passed | | |
| Home button | | | summary | | |
| number of notifications if any | | High | passed | | |

Credential Offer



| Test | Reference - | Priority - | Verdict ▼ | Bugs | Comments |
|--|--------------------------|------------|-----------|--|----------|
| Credential Offer | | | | | |
| Events | | | | | |
| Accept button tap => loading screen is displayed | | High | failed | DDS-361 [iOS / Android][Accepting Credentials] Accepting Credential screen is displayed till the user taps the Go back to home button. (Normal) DDS-350 [iOS] [Notifications > Credential Offer] Error message is not displayed if accepting an invalid offer (Major) DDS-349 [iOS] [Notifications > Credential Offer] App is not responding if accept an offer from a deleted contact (Major) | |
| Go back to home button tap => loading is completed on the background | displayed while loading | High | passed | | |
| Done button tap => credentials screen is displayed | displayed once loaded | High | passed | | |
| Decline button tap => Decline Credential screen is displayed | | High | passed | | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Fields | | | | | |
| Logo | | High | passed | | |
| Issuer | | High | failed | DDS-353 [iOS] [Android] [Notifications > Credential Offer] It is necessary to decide what issuer name should be displayed on a credential offer if a contact was deleted (Enhancement) | |
| Name | | High | passed | | |
| Age | | High | passed | | |
| Date Of Birth | | High | passed | | |
| Added to Contacts | | High | passed | | |

Decline Credential



| ▼ Reference ▼ | Priority - | Verdict ▼ | Bugs ▼ | Comments |
|-----------------------------|-----------------|--|--|---|
| | | | | |
| | | | | |
| | | summary | | |
| | High | passed | | |
| | High | passed | | |
| | Medium | passed | | |
| | Medium | passed | | |
| | | summary | | |
| | High | passed | | |
| | High | passed | | |
| | High | passed | | |
| | Medium | passed | | |
| | Medium | passed | | |
| | | | | |
| | | summary | | |
| read-only field | High | passed | | |
| | | summary | | |
| read-only field | High | passed | | |
| | read-only field | High High Medium Medium High High High High High High High Medium Medium Medium Medium | High passed High passed Medium passed Medium passed Summary High passed Medium passed Medium passed Summary read-only field High passed summary | summary High passed High passed Medium passed Medium passed Summary High passed High passed High passed High passed High passed High passed Medium passed Medium passed Medium passed Medium passed Summary read-only field High passed |

Proof Request



| Test | Reference - | Priority | Verdict | Bugs | Comments - |
|---|-------------|----------|---------|--|--------------------------------|
| Proof Request | | | | | |
| Events | | | | | |
| Share button tap => loading screen is displayed | | High | failed | DDS-340 [iOS] [Android] [Proof Request] Share button remains disabled once credential offer is accepted (Major) DDS-341 [iOS] [Android] [Proof Request] Share button is enabled if invalid proof request is received (Major) | |
| Go back to home button | | | summary | | |
| tap while loading => loading is completed on the background | | High | passed | | |
| tap once loaded => home screen is displayed | | High | passed | | |
| Decline button tap => Decline Proof screen is displayed | | High | passed | | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Fields | | | | | |
| Logo | | High | passed | | |
| Issuer | | High | passed | | |
| Name | | High | passed | | |
| Age | | High | passed | | |
| Date Of Birth | | High | passed | | if the whole info is requested |
| Added to Contacts | | High | passed | | |

Decline Proof



| Test | ▼ Reference ▼ | Priority | + | Verdict - | Bugs | - | Comments - |
|--|-----------------|----------|---|-----------|---|----|------------|
| Decline Proof | | | | | | | |
| Events | | | | | | | |
| if Cross button tapped | | | | summary | | | |
| Delete button tap | | High | | passed | | | |
| Cancel button tap | | High | | failed | DDS-342 [iOS] [Android] [Notifications > Decline Credential] Suggestion to add a toast message with a confirmation when credential is deleted (Enhancement) | :) | |
| if Decline button tapped | | | | summary | | | |
| Yes, decline button tap => screen with confirmation is displayed | | High | | passed | | | |
| Done button tap => home screen is displayed | | High | | passed | | | |
| No, go back button tap | | High | | passed | | | |
| Home icon button tap | | Medium | | passed | | | |
| Swipe | | Medium | | passed | | | |
| Fields | | | | | | | |
| if Cross button tapped | | | | summary | | | |
| Delete this offer? | read-only field | High | | passed | | | |
| if Decline button tapped | | | | summary | | | |
| Are you sure you want to? | read-only field | High | | passed | | | |

Notifications



| Test ▼ | Reference - | Priority - | Verdict - | Bugs | Comments |
|---|-------------|------------|-----------|------|----------|
| Notifications | | | | | |
| Events | | | | | |
| Scroll | | High | passed | | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| View button tap => Credential Offer/Proof Request screen is displayed | | High | passed | | |
| Cross button tap => Decline Credential/Proof screen is displayed | | High | passed | | |
| Fields | | | | | |
| N/A | | High | n/a | | |

Scan



| Test ▼ | Reference - | Priority | Verdict ▼ | Bugs ▼ | Comments |
|---|-------------|----------|-----------|--|----------|
| Scan | | | | | |
| Events | | | | | |
| Close button on the Scanning screen tap | | High | passed | | |
| Flash button on the Scanning screen tap | | High | passed | | |
| Flash button on the Scanning screen untap | | High | passed | | |
| => loading screen is displayed once QR-code is scanned > Go back to home button tap | | High | failed | DDS-371 [iOS] [Android] [Creating a connection] Just a moment while we make a secure connection screen is displayed till a user taps Go back to home button (Normal) | |
| Fields | | | | | |
| N/A | | High | n/a | | |

Settings



| Test | ▼ Reference ▼ | Priority - | Verdict ▼ | Bugs | → Comments → |
|--|-----------------|------------|-----------|------|-----------------------------|
| Settings | | | | | |
| Events | | | | | |
| Contacts button tap | | High | passed | | |
| What are Contacts? button tap | | High | passed | | |
| Biometrics button tap | | High | passed | | |
| Language button tap | | High | passed | | |
| Share logs button tap => default screen is displayed | | High | passed | | |
| Back button tap | • | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Sign out button tap | | High | n/a | | to be implemented |
| Fields | | | | | |
| Biometrics state | on/off | High | passed | | |
| Selected language | | High | passed | | English, French, Portuguese |
| Version | read-only field | High | passed | | |

Contacts



| Test ▼ | Reference * | Priority • | Verdict ▼ | Bugs ▼ | Comments ~ |
|--|-----------------|-------------------|-----------|--|------------------------------------|
| Contacts | | | | | |
| Events | | | | | |
| Scroll | | High | failed | DDS-332 [iOS] [Settings > Contacts] Empty contact list can be scrolled (Minor) | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Contact tap | | High | passed | | |
| Info button tap | | High | passed | | |
| Remove from wallet button tap => Remove from wallet screen is displayed | | High | passed | | |
| Remove from wallet button tap | | High | failed | DDS-362 [iOS] [Settings > Remove from wallet] Nothing is happened if tap Remove from wallet button (Major) | |
| Cancel button tap | | High | passed | | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Send message button tap | | High | passed | | |
| Open button tap | if attachment | High | failed | need to be checked with a new build version | |
| Fields | ' | | | | |
| Contacts list | | | summary | | |
| placeholder if no contacts | | High | passed | | |
| contact | | High | passed | | contact logo, name, date of adding |
| Contact | | | summary | | |
| message history | | High | | DDS-336 [iOS] [Android] [Settings > Contact] White rectangle is displayed in the message history if offer or request is received (Minor) | attachments, text, date |
| message | input field | High | passed | | |
| Contact Details | read-only field | High | passed | | name, date of connection |

What are contacts



| Test | Reference - | Priority - | Verdict - | Bugs | ▼ Comments ▼ |
|------------------------|-----------------|------------|-----------|--|----------------------------|
| What are Contacts? | | | | | |
| Events | | | | | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Contacts list link tap | | High | passed | | |
| Fields | | | | | |
| What are Contacts? | read-only field | | | DDS-372 [iOS] [Android] [Settings > What are Contacts? | |
| | | High | failed | Suggestion to display screen name in the header | |
| | | | | (Enhancement) | |

ROPRIETARY AND CONFIDENTIAL

Biometrics



| Test | ▼ Reference ▼ | Priority - | Verdict ▼ | Bugs ▼ | Comments |
|--|-----------------|------------|-----------|--|----------|
| Biometrics | | | | | |
| Events | | | | | |
| Back button tap | | Medium | failed | DDS-328 [iOS] [Android] [Settings > Biometrics] Back button is not displayed on the Biometrics screen once incorrect PIN is entered (Normal) DDS-329 [iOS] [Android] [Settings > Biometrics] Biometrics screen is displayed instead of Enter PIN screen once incorrect PIN is entered (Minor) | |
| Swipe | | Medium | passed | | |
| Use biometrics toggle tap => Enter PIN screen is displayed | | High | passed | | |
| Unlock button tap | | High | failed | DDS-323 [iOS] [Android] [Login > Enter PIN] [Settings > Biometrics] [Keplr Wallet > Confirm transaction] It is possible to log in with invalid PIN (Major) | |
| Show/Hide PIN button tap | | High | passed | | |
| Fields | | | | | |
| Biometrics | read-only field | High | passed | | |
| Enter PIN | | | summary | | |
| PIN | input field | High | failed | DDS-323 [iOS] [Android] [Login > Enter PIN] [Settings > Biometrics] [KepIr Wallet > Confirm transaction] It is possible to log in with invalid PIN (Major) | |

DPRIETARY AND CONFIDENTIAL

Language



| Test | ▼ Reference ▼ | Priority - | Verdict - | Bugs | Comments |
|-----------------------|-----------------|------------|-----------|------|----------|
| Language | | | | | |
| Events | | | | | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| English button tap | radio-button | High | passed | | |
| French button tap | radio-button | High | passed | | |
| Portuguese button tap | radio-button | High | passed | | |
| Fields | | | | | |
| English | read-only field | High | passed | | |
| French | read-only field | High | passed | | |
| Portuguese | read-only field | High | passed | | |

ROPRIETARY AND CONFIDENTIAL

Credentials (events)



| Test | Reference ~ | Priority - | Verdict ▼ | Bugs ▼ | Comments |
|--|-------------|------------|-----------|---|----------------------|
| Credentials | | | | | |
| Events | | | | | |
| Scroll | | High | | DDS-332 [iOS] [Settings > Contacts] [Settings > Language] [Credentials] Page can be scrolled when there are no or a few entities added (Minor) DDS-339 [iOS] [Credentials > Remove from wallet] Not all text is displayed if scroll the page (Normal) | |
| Search | | High | n/a | | to be implemented |
| Sorting | | High | n/a | | to be implemented |
| Credential tap | | High | passed | | |
| Back button tap | | Medium | passed | | |
| Swipe | | Medium | passed | | |
| Hide all button tap | | High | passed | | if any data is shown |
| Show/Hide button tap | | High | passed | | |
| Remove from wallet button tap | | High | passed | | |
| You will NOT lose expand/collapse button tap | | High | passed | | |
| How to get expand/collapse button tap | | High | passed | | |
| Remove from wallet button tap | | High | passed | | |
| Cancel button tap | | High | passed | | |

Credentials (fields)



| Test | ▼ Referen | ce Priority | _ | Verdict - | Bugs | ▼ | Comments | - |
|-------------------------------|-----------|-------------|---|-----------|---|------|---------------|---|
| Fields | | | | | | | | |
| Credentials list | | | | summary | | | | |
| placeholder if no credentials | | High | | passed | | | | |
| credential | | High | | passed | | | | |
| search | | High | | n/a | | to b | e implemented | |
| sorting | | High | | n/a | | to b | e implemented | |
| Credentials Details | | | | summary | | | | |
| Credential info | | | | summary | | | | |
| Logo | | High | | passed | | | | |
| Issuer | | High | | passed | | | | |
| Туре | | High | | passed | | | | |
| Issuer info | | | | summary | | | | |
| Name | | High | | passed | | | | |
| Age | | High | | passed | | | | |
| Date Of Birth | | High | | passed | | | | |
| Issued by | | High | | passed | | | | |
| Remove from wallet | | | | summary | | | | |
| You will NOT lose section | text | High | | passed | | | | |
| How to get | text | High | | Talled | DDS-337 [iOS] [Android] [Credentials > Rem wallet] Layout is broken: not all text is displ | | | |

Results



Found more than 20 bugs in total

Most significant bugs are related to login/PIN input, error handling and VC flow edge cases (for example, receiving messages from deleted contact)

Next steps



Bugs classification by community and internal products

Double check existing GH issues and create new

Help with fixes





Alexander Shenshin

Senior Software Engineer alexander.shenshin@dsr-corporation.com



Renata Toktar

Lead Software Engineer renata.toktar@dsr-corporation.com

www.dsr-corporation.com www.dsr-iot.com www.dsr-corporation.com • www.dsr-iot.com



DOING SOFTWARE RIGHT____

Full Stack Web Embedded Wireless

Analytics / Big Data Scalable Databases Digital Media

System Software Mobile Blockchain CV / Machine Learning